



Illustrative picture

SPECIFICS

Description	Product type	Sloping wall plugs, low tension 50/60 Hz IP44
	Article code	1177
	Commercial Series	SERIES 10 ECO IEC 309 IP44

General Data	Poles	N° 2P+E	Type of material	Halogen free
	Current	A 16	Type of terminal	Screw PH2
	Voltage	V~ 200-250	Terminal inlet diameter	mm 3,7
	Earth contact position	h 6	Cable sleeves diameter	mm 22
	Degree of protection	IP 44	Dimensional stability	°C -25 /+70
	Impact Resistance	IK 8	Resistance glow wire test	°C +650 / +850
	Insulation Resistance	MΩ >10	Working temperature	°C -25 + 55
	Dimensions LxDxH	cm 10,5x7,5x7,5	Weight	kg 0,118

Behaviour with chemical and atmospheric agents											
Saline Solution	Acids		Bases		Solvents				Mineral Oil	UV rays	
	Concentrated	Diluted	Concentrated	Diluted	Hexane	Benzol	Acetone	Alcohol			
Resistant	Limited Resistant	Resistant	Resistant	Resistant	Limited Resistant	Limited Resistant	Resistant	Resistant	Resistant	Resistant	

Standards	CEI EN 60309-1	CEI EN 60309-2	2014/35/UE
------------------	----------------	----------------	------------

Features package	Descriptions		N/pieces	Weight/kg
	Article		1	0,118
	Package innerbox		10	1,27
	Packaging		/	/

Dimensions				<table border="1"> <tr> <td>Amp</td> <td colspan="3">16A</td> </tr> <tr> <td>Poles</td> <td>3</td> <td>4</td> <td>5</td> </tr> <tr> <td>A</td> <td>108</td> <td>109</td> <td>117</td> </tr> <tr> <td>B</td> <td>110</td> <td>112</td> <td>116</td> </tr> <tr> <td>C</td> <td>60</td> <td>68</td> <td>76</td> </tr> </table>			Amp	16A			Poles	3	4	5	A	108	109	117	B	110	112	116	C	60	68	76
	Amp	16A																								
	Poles	3	4	5																						
	A	108	109	117																						
B	110	112	116																							
C	60	68	76																							



Rev	Date	Technical Manager
01	7/1/20	Romano Pivi

CERTIFICATO N° 9105.RO33 - UNI EN ISO 9001:2015

Reg. A.E.E n° IT17100000010057